

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Pool Style Algae Solution

Product id AS_2270Y_PC Revision date 05/08/2014

 Revision date
 05/08/2014
 Revision: 5

 Supersedes
 30/05/2011

1. Identification of the substance & the company

Chemical name Sodium bromide

Chemical formula NaBr

Chemical family Inorganic bromide

Molecular weight 102.9

Type of product and use Pool algaecide

Supplier Clearon Corp.

95 MacCorkle Ave. SW, South Charleston, WV 25303,

USA

Toll Free Number: 1-800-811-2327

Emergency Telephone Chemtrec: (800) 424-9300

Medical: (800) 420-9236

2. Hazards identification

GHS classification Not Classified

Labels and other form of warning Not classified

3. Composition / information on ingredients

Components	CAS No.	Weight %
Sodium Bromide	7647-15-6	98-99.5

4. First-aid measures

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call

a poison control center or doctor for treatment advice.

Skin contactTake off contaminated clothing. Rinse skin immediately with plenty of water for

15-20 minutes. Call a poison control center or doctor for treatment advice.

{ Page 1 of 7 }



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Pool Style Algae Solution

 Product id
 AS_2270Y_PC

 Revision date
 05/08/2014

 Supersedes
 30/05/2011

Inhalation Move person to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a

Revision: 5

poison control center or doctor for further treatment advice.

Ingestion Call poison control center, or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by the poison control center or doctor.

Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, acute or delayed

- Eye Contact Mild irritant

- Skin contact Not irritant to intact skin. Slightly irritant on prolonged contact to abraded skin.

Inhalation Irritant to upper respiratory tract.

Ingestion Abdominal pain, nausea and vomiting.

May cause falling asleep, muscular incoordination and respiratory depression.

Note to physician No specific antidote.

Treat symptomatically and supportively.

Probable mucosal damage may contraindicate the use of gastric lavage.

Fire - fighting measures

Suitable extinguishing media Material is not combustible. Use extinguishing media appropriate to surrounding

fire conditions.

Unusual fire and explosion

hazards Will decompose from ca. 800°C releasing poisonous and corrosive fumes of

hydrogen bromide and sodium oxide.

Fire fighting procedure Cool containers with water spray. In closed stores, provide fire-fighters with

self-contained breathing apparatus in positive pressure mode.

Accidental release measures

Personal precautions Wear respirator, chemical safety goggles, rubber gloves and boots

Methods for cleaning up Sweep up, place in a bag and hold for waste disposal or possible reuse Ventilate

area and wash spill site after material pickup is complete.

{ Page 2 of 7 }



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Pool Style Algae Solution

Product id AS_2270Y_PC

Revision date $05\overline{/08/2014}$ Revision: 5

Supersedes 30/05/2011

Environmental precautions Prevent entry into sewers and watercourses

7. Handling and storage

Handling Avoid bodily contact. Keep containers tightly closed.

Storage Keep in a well-ventilated place away from incompatible materials (see "materials

to avoid").

8. Exposure controls / personal protection

Exposure Limits:

Components	ACGIH-TLV Data	OSHA (PEL) Data
Sodium Bromide	Not determined	Not determined
7647-15-6		

Ventilation requirements Provide adequate ventilation.

Personal protective equipment:

- Respiratory protection In case of significant or accidental dust emissions, dust mask should be worn

- Hand protection Protective gloves

- Eye protection Chemical safety goggles

- **Skin and body protection** Body covering clothes and boots

Hygiene measures Do not eat, smoke or drink where material is handled, processed or stored. Wash

hands thoroughly after handling and before eating or smoking. Safety shower and

eye bath should be provided.

9. Physical and chemical properties

Appearance White granular powder or compacted solid, odourless

Melting point/range755°CBoiling point/range1390°CFlash pointNone

Evaporation rate (ether=1) Not applicable under standard conditions

Flammable/Explosion limits Not flammable Vapor pressure 1 mmHg (806°C)

Vapor density Not applicable under standard conditions

Solubility:

- Solubility in water 94.6 gr/100ml at 25°C



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Pool Style Algae Solution

Product id AS_2270Y_PC

Revision date $05/\overline{08/2014}$ Revision: 5

Supersedes 30/05/2011

Calculation in other calculates at the calculates at the calculation of 25°C

- Solubility in other solvents ethanol: 95%: 7 g/100g at 25°C

methanol: 14.8 g/100g at 25°C **Partition coefficient**Mot applicable since this materi

(n-octanol/water)

Not applicable since this material is almost completely soluble in water.

Auto-ignition temperature Not applicable Specific gravity 3.203

10. Stability and reactivity

Reactivity Reacts explosively with bromine trifluoride .

Stability Stable at normal conditions

The powder product tends to cake under normal storage conditions.

Possibility of hazardous

reactions

Conditions to avoidHeating above decomposition temperature.Materials to avoidStrong acids. Heavy metal salts. Strong oxidants.

Hazardous decomposition

products

Hydrogen bromide and sodium oxide

Bromine fumes

Not expected to occur

11. Toxicological information

Likely Routes of Exposure Skin

Eye contact Inhalation Ingestion

Acute toxicity:

- **Rat oral LD50** 4200 mg/kg

- Rabbit dermal LD50 >2000 mg/kg

- Dermal irritation (rabbit) Not irritant

- Eye irritation (rabbit) Slightly irritant.

Dermal sensitization Not a sensitizer

Chronic toxicity Repeated skin contact may cause dermatitis. Repeated oral intake of bromides

(>9 mg/kg body weight/day) may affect the central nervous system. Warning symptoms include mental dullness, slurred speech, weakened memory, apathy, anorexia, constipation, drowsiness and loss of sensitivity to touch and pain.

{ Page 4 of 7 }



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Pool Style Algae Solution

Product id AS_2270Y_PC Revision date 05/08/2014

Supersedes 30/05/2011

Mutagenicity Does not induce DNA repair in cultured human epithelioid cells.

Not clastogenic in human lymphocytes metaphase analysis.

Not mutagenic by the Ames Test.

Carcinogenicity Not classified by IARC

Not included in NTP 13th Report on Carcinogens

Reproductive toxicity Sodium bromide has been shown to cause embryo-fetal toxicity and

malformations in rats at dose levels which also produce maternal toxicity. The No-Observed Effect Level (NOEL) is 100 mg/kg/day, and the Acceptable Daily Intake (ADI) for sodium bromide from food and drinking water in humans is 1 mg/kg/day. Comparable high doses of sodium chloride (table salt) similarly cause

Revision: 5

malformations, embryo-fetal toxicity, and maternal toxicity in mice.

Teratogenicity In the oral gavage pre-natal developmental toxicity study in the Rabbit, there were

no obvious effects of maternal treatment on the survival, growth or development of the offspring at any of the dosages investigated. The No Observed Effect Level (NOEL) for the developing conceptus was considered to be 250 mg/kg/day.

12. Ecological information

Environmental fate NaBr is an inorganic salt, which fully dissociates in aquatic environment to

bromide and sodium ions. It also undergoes degradation in soil to bromide ion (no

further degradation or biodegradation will occur).

Aquatic toxicity:

- 96 Hour-LC50, Fish >1000 mg/l (rainbow trout)

>1000 mg/l (bluegill sunfish)

- 48 Hour-EC50, Daphnia magna >1000 mg/l

Avian toxicity:

Oral LD50, Bobwhite quail
 Dietary LC50, Mallard duck
 Dietary LC50, Bobwhite quail
 >5633 ppm
 >5633 ppm

Toxicity to micro-organisms Activated sewage sludge respiration inhibition test: EC50 > 1000 mg/l (3 hours).

NOEC was 1000 mg/l (3 hours)

Persistence and degradability Not relevant for inorganic salts



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Pool Style Algae Solution

Product id AS_2270Y_PC

Revision date 05/08/2014 **Revision:** 5

Supersedes 30/05/2011

Pieces would be a second of the property of the pieces would be a second of the pieces would b

Bioaccumulative potential Not expected to bioaccumulate

BCF=0.23-1.41

Mobility in soil Not relevant for inorganic salts

13. Disposal considerations

Waste disposal Observe all federal, state and local environmental regulations when disposing of

this material.

Disposal of Packaging Dispose of in a safe manner in accordance with local/national regulations.

14. Transportation information

DOT Not regulated

IMDG Not regulated

ICAO/IATA Not regulated

15. Regulatory information

USA Reported in the EPA TSCA Inventory.

This product is registered under FIFRA

- **EPA Registration no.** 69470-31-42177

- Emergency overview in CAUTION

accordance to EPA Master Label Harmful if swallowed

Harmful if absorbed through the skin

Do not mix this product directly with any chlorinated material or any oxidizer

product.

This pesticide is toxic to fish and aquatic organisms.

- SARA 313 Not listed

Canada Listed in DSL

WHMIS hazard class D2A Very toxic material causing other toxic effects

EC No. 231-599-9

Japan ENCS no. 1-113

ISHL no. 1-113

{ Page 6 of 7 }



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Pool Style Algae Solution

Product id AS_2270Y_PC

Revision date 05/08/2014 **Revision:** 5

Supersedes 30/05/2011

Australia Listed in AICS

China

- China inventory Listed in IECSC

Korea Listed in ECL (KE-31368)

Philippines Listed in PICCS

16. Other information

This data sheet contains changes from the previous version in section(s) 1, 2, 4, 13, 15, 16

All sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, Clearon Corp. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will Clearon Corp. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Prepared byNorth America Regulatory Affairs

ICL-IP America Inc. 95 MacCorkle Ave.,S.W.

South Charleston, WV 25303, USA Phone number: (304)746-3000

Prepared for Alliance Trading, Inc.

109 Northpark Blvd., 4th Floor

Covington, LA 70433 Tel: (985) 801-4011

End of safety data sheet